
YIOSI

INSTALLATION GUIDE

Olivia Modern Alabaster Feathery Chandelier

CHANDELIER · CEILING MOUNT



Model **YIOSI-0429**

Please read this guide completely before you begin, and keep it for future reference.

BEFORE YOU BEGIN

⚠ **WARNING**

- **Turn off the power at the circuit breaker** before installing, changing bulbs or cleaning the fixture.
- Installation by a **qualified electrician** is recommended. Install in accordance with local electrical codes.
- This fixture takes 15 E12 bulbs. Use bulbs of a suitable rating and do not exceed it.
- Do not clean the fixture with corrosive substances such as gasoline or alcohol-based disinfectants.
- Use this fixture only for its intended purpose. Do not modify or rewire it.
- Keep small parts and packaging away from children. They can cause serious injury.


PREPARATION

- Read every step carefully and follow them in order.
- Unpack and check all parts against the parts list. If anything is missing or damaged, contact us before installing (see the last page). We will send replacement parts promptly.
- Assemble the fixture where it will be installed. Moving it mid-assembly risks losing small parts.

SPECIFICATIONS

LIGHT SOURCE	COLOR TEMPERATURE	MOUNTING
15 × E12 bulbs	**3000K**	**Ceiling, adjustable chain**

IN THE BOX




PART	QTY	DESCRIPTION
A	× 4	Screw with nut
B	× 3	Wire connector
C	× 15	E12 bulb
D	× 89	Alabaster piece
E	× 6	Square support
F	× 1	Round tube
—	× 1	Chandelier body

INSTALLATION

STEP 1

Install the mounting plate


Turn off the power at the circuit breaker. Take the mounting plate out of the canopy and fix it to the ceiling with the screws, at the spot where the chandelier will hang.



STEP 2

Hang the chandelier body


Take out the chandelier body. Join the fixture wires to the matching house supply wires with the wire connectors (B): live to live, neutral to neutral, ground to ground. Fix the canopy to the mounting plate with its screws, hook the chain onto the canopy with the movable buckle, and adjust the chain to the height you want.



STEP 3

Assemble the tiers


(1) Hook the body ring onto the chain buckle. (2) Fix the square supports (E) with the screws (A) to the crossbar of the 1st tier, and (3) to the holes on the side of the 2nd tier ring. (4) Fix the 3rd tier to the round tube (F) with the nuts.



STEP 4

Fit the bulbs and alabaster

Screw the E12 bulbs (C) into the lamp holders. Restore power briefly to check every bulb lights, then turn the power off again. Hang the alabaster pieces (D) on the hooks of tiers 1, 2 and 3. Restore power and switch on.



CARE & SUPPORT

CLEANING & CARE

- Clean the fixture about once a month to keep it looking its best.
- Turn off the power and let the fixture cool to room temperature first.
- Wipe with a soft cloth dampened with water and wrung dry. Never spray liquid directly onto the fixture.
- Do not use gasoline, alcohol or other corrosive cleaners.

GOOD TO KNOW

- Use the fixture only as designed. Damage caused by modification, third-party parts or natural disasters is not covered.
- Warranty terms are listed at yiosilamp.com.
- Natural alabaster varies piece to piece. Veining and tone differences are part of its character.

NEED HELP?

support@yiosilamp.com

+1 970-896-9411

Missing parts, installation questions or anything else, we are here to help. Please include your order number and a photo of the issue so we can resolve it quickly.