YIOSI

INSTALLATION GUIDE

Ceramic Ball Pendant 600

PENDANT · CEILING MOUNT



Model **YIOSI-0644**

Please read this guide completely before you begin, and keep it for future reference.

BEFORE YOU BEGIN

⚠ **WARNING**

- **Turn off the power at the circuit breaker** before installing, changing bulbs or cleaning the fixture.
- Installation by a **qualified electrician** is recommended. Install in accordance with local electrical codes.
- Use bulbs that match the rating marked on the lamp holders. Do not exceed the rated wattage.
- Do not clean the fixture with corrosive substances such as gasoline or alcohol-based disinfectants.
- Use this fixture only for its intended purpose. Do not modify or rewire it.
- Keep small parts and packaging away from children. They can cause serious injury.


PREPARATION

- Read every step carefully and follow them in order.
- Unpack and check all parts against the parts list. If anything is missing or damaged, contact us before installing (see the last page). We will send replacement parts promptly.
- Assemble the fixture where it will be installed. Moving it mid-assembly risks losing small parts.

SPECIFICATIONS

DIAMETER	SHADE	MOUNTING
600 mm	**Ceramic blades**	**Ceiling, adjustable chain**

IN THE BOX




PART	QTY	DESCRIPTION
A	× 72	Ceramic blade (+3 spare)
B	× 18	Branch
C	× 1	Ceiling plate
D	× 1	Spherical lamp body (hub)
—	× 3	Chain, 300 / 500 / 950 mm
—	× 1	Hardware pack (screws, wall anchors, wire connectors, nuts, hex keys, small fittings)

INSTALLATION

STEP 1

Mount the ceiling plate


Turn off the power at the circuit breaker. Remove the mounting plate from the ceiling plate (C) and fix it to the ceiling junction box with the screws.



STEP 2

Hang the lamp body


Choose the chain length you need. Thread the power cord through the chain and hook the chain between the ceiling plate (C) and the lamp body (D).



STEP 3

Connect the wires


Join the fixture wires to the matching house supply wires with the wire connectors: live to live, neutral to neutral, ground to ground. Tighten the ceiling plate onto the mounting plate, then hold the tension head and adjust the height of the lamp.



STEP 4

Fit the branches


Fit the branches (B) into the lamp body (D) one by one and tighten each set screw with the hex key. Bend the branches gently to shape the ball.



STEP 5

Fit the bulbs and blades

Insert the bulbs, then clip the ceramic blades (A) onto the branches in a staggered pattern and adjust their angle. Restore power and switch on to test.



CARE & SUPPORT

CLEANING & CARE

- Clean the fixture about once a month to keep it looking its best.
- Turn off the power and let the fixture cool to room temperature first.
- Wipe with a soft cloth dampened with water and wrung dry. Never spray liquid directly onto the fixture.
- Do not use gasoline, alcohol or other corrosive cleaners.

GOOD TO KNOW

- Use the fixture only as designed. Damage caused by modification, third-party parts or natural disasters is not covered.
- Warranty terms are listed at yiosilamp.com.

NEED HELP?

support@yiosilamp.com

+1 970-896-9411

Missing parts, installation questions or anything else, we are here to help. Please include your order number and a photo of the issue so we can resolve it quickly.