
YIOSI

INSTALLATION GUIDE

Anello Cylinder Alabaster Pendant Light

PENDANT · CEILING MOUNT



Model **YIOSI-0730** · **YIOSI-0731** · **YIOSI-0732**

Please read this guide completely before you begin, and keep it for future reference.

BEFORE YOU BEGIN

⚠ **WARNING**

- **Turn off the power at the circuit breaker** before installing, changing bulbs or cleaning the fixture.
- Installation by a **qualified electrician** is recommended. Install in accordance with local electrical codes.
- Use only the bulbs supplied, or equivalents of the same rating.
- Do not clean the fixture with corrosive substances such as gasoline or alcohol-based disinfectants.
- Use this fixture only for its intended purpose. Do not modify or rewire it.
- Keep small parts and packaging away from children. They can cause serious injury.


PREPARATION


- Read every step carefully and follow them in order.
- Unpack and check all parts against the parts list. If anything is missing or damaged, contact us before installing (see the last page). We will send replacement parts promptly.
- Assemble the fixture where it will be installed. Moving it mid-assembly risks losing small parts.

SPECIFICATIONS

LIGHT SOURCE	COLOR TEMPERATURE	MOUNTING
Bulb (included)	**3000K**	**Ceiling, down rods**


IN THE BOX






PART	QTY	DESCRIPTION
A	× 2	Wall anchor
B	× 2	Screw
C	× 2	Wire connector
D	× 2	Bulb
E	× 2	Fitting
F	× 2	Down rod
—	× 1	Pendant body

PACKAGING






The fixture ships in one layer: pendant body, rods and accessory pack.

INSTALLATION

STEP 1

Set the hanging length


Choose how many down rods (F) you need for the height you want. Thread the power cable through the rods, screw them together and connect them to the pendant body and the canopy.



STEP 2

Install the mounting plate


Turn off the power at the circuit breaker. Fix the mounting plate to the ceiling with the screws (B), using the wall anchors (A) where needed.



STEP 3

Connect the wires and secure the canopy

Join the fixture wires to the matching house supply wires with the wire connectors (C): live to live, neutral to neutral, ground to ground. Tuck the connections neatly into the junction box. Fasten the canopy to the mounting plate with its screws.



STEP 4

Fit the bulb and test

Screw the bulb into the lamp holder at the bottom of the shade. Restore power and switch on to test.





CARE & SUPPORT

CLEANING & CARE

- Clean the fixture about once a month to keep it looking its best.
- Turn off the power and let the fixture cool to room temperature first.
- Wipe with a soft cloth dampened with water and wrung dry. Never spray liquid directly onto the fixture.
- Do not use gasoline, alcohol or other corrosive cleaners.

GOOD TO KNOW

- Use the fixture only as designed. Damage caused by modification, third-party parts or natural disasters is not covered.
- Warranty terms are listed at yiosilamp.com.
- Natural alabaster varies piece to piece. Veining and tone differences are part of its character.

NEED HELP?

support@yiosilamp.com

+1 970-896-9411

Missing parts, installation questions or anything else, we are here to help. Please include your order number and a photo of the issue so we can resolve it quickly.