YIOSI

INSTALLATION GUIDE

Rowan Twig Round Chandelier 31.5"

CHANDELIER · CEILING MOUNT



Model **YIOSI-0785** · **YIOSI-0786**

Please read this guide completely before you begin, and keep it for future reference.

BEFORE YOU BEGIN

⚠ **WARNING**

- **Turn off the power at the circuit breaker** before installing, changing bulbs or cleaning the fixture.
- Installation by a **qualified electrician** is recommended. Install in accordance with local electrical codes.
- This fixture requires 6 E12 Type B bulbs, max. 25 W each. Do not exceed the rated wattage.
- Do not clean the fixture with corrosive substances such as gasoline or alcohol-based disinfectants.
- Use this fixture only for its intended purpose. Do not modify or rewire it.
- Keep small parts and packaging away from children. They can cause serious injury.


PREPARATION

- Read every step carefully and follow them in order.
- Unpack and check all parts against the parts list. If anything is missing or damaged, contact us before installing (see the last page). We will send replacement parts promptly.
- Assemble the fixture where it will be installed. Moving it mid-assembly risks losing small parts.

SPECIFICATIONS

LIGHT SOURCE	MAX. WATTAGE	MOUNTING
6 × E12 bulbs (Type B)	**25 W per bulb**	**Ceiling, adjustable chain**

IN THE BOX




PART	QTY	DESCRIPTION
A	× 1	Canopy
B	× 1	Center hub
C	× 1	Main ring frame
D, E	× 3+3	Chain (D: short, E: 19.6")
F	× 21	Twig branch
G	× 46	Crystal flower (incl. spares)
H	× 92	Decorative piece (incl. spares)
I	× 46	Flat-head nut (incl. spares)
J, —	× 1+8	Crystal ball (J) and crystal drops
—	× 4+4	Screws and wire connectors

INSTALLATION

STEP 1

Assemble the frame


Join the ring frame (C) to the center hub (B) with the three hanging chains (E). Pass the power cord through the hub (B) and the chain (D), then connect the hub to the canopy (A) with the chain (D) and feed the cord into the canopy. Fit the crystal ball (J) under the ring frame.



STEP 2

Decorate the branches


On each twig branch (F), fit a decorative piece (H), a crystal flower (G) and another decorative piece (H) in that order, and fix them with a flat-head nut (I) as shown.



STEP 3

Mount the bracket


Turn off the power at the circuit breaker. Take the mounting bracket out of the canopy (A) and fix it to the ceiling junction box with the screws.



STEP 4

Connect the wires


Join the fixture wires to the matching house supply wires with the wire connectors (supplied): live to live, neutral to neutral, ground to ground. Tuck the connections into the junction box and fasten the canopy to the bracket.



STEP 5

Fit the bulbs and branches

Screw the six E12 bulbs into the lamp holders. Place the decorated branches (F) on the ring frame (C) and tighten them with the screws. Restore power and switch on to test.



CARE & SUPPORT

CLEANING & CARE

- Clean the fixture about once a month to keep it looking its best.
- Turn off the power and let the fixture cool to room temperature first.
- Wipe with a soft cloth dampened with water and wrung dry. Never spray liquid directly onto the fixture.
- Do not use gasoline, alcohol or other corrosive cleaners.

GOOD TO KNOW

- Use the fixture only as designed. Damage caused by modification, third-party parts or natural disasters is not covered.
- Warranty terms are listed at yiosilamp.com.

NEED HELP?

support@yiosilamp.com

+1 970-896-9411

Missing parts, installation questions or anything else, we are here to help. Please include your order number and a photo of the issue so we can resolve it quickly.